

Renaissance Excel Plus Assisted Bathing Range





Contents

| | |
|---------|---|
| 02 - 03 | <i>Our History Our Products Our Service & Support</i> |
| 04 - 05 | <i>Excel 600 height-adjustable with powered swing seat</i> |
| 06 - 07 | <i>The Excel 600 with detachable seat & transporter</i> |
| 08 - 09 | <i>The Excel 400 height-adjustable bath</i> |
| 10 | <i>The Excel 300 fixed bath with powered swing seat</i> |
| 11 | <i>The Excel 300 with detachable seat and transporter</i> |
| 12 | <i>The Excel 100 fixed bath</i> |
| 13 | <i>Accessories</i> |
| 14 - 19 | <i>Our Easy Access Baths</i> |

Our History

Established in the 1970's we are a manufacturer of baths and shower trays and we supply a number of well-known names in both the standard and assisted bathing markets.

We also have an engineering division who for over 40 years have been designing and manufacturing machinery and moulds for sanitary ware manufacturers around the world. These machines and moulds are also utilised in our own manufacturing facilities.

Our Products

Renaissance Baths, manufacture and supply a range of assisted bathing and easy access products. Designed and manufactured by our own team in the North East of England.

Our range of baths offers a stylish and practical solution for bathing either in a multi-user environment such as Care and Nursing Homes, or for individuals living in their own home.

Our Excel 300, 400 and 600 models are fully Kiwa UK (KUKreg4) approved for the complete bath. All our products carry a full 12 month warranty.

Our Service and Support

We offer service and support tailored to meet individual customer's requirements. This includes the following:

- Site surveys where we can advise on product suitability and bathroom layout
- Installation by one of our trusted partners
- Product commissioning
- Service and maintenance packages

Renaissance Excel Plus Range

Renaissance first launched its Excel range of assisted bathing products over 10 years ago. The range was engineered around a robust steel frame work with state-of-the-art electrical actuators, linear guides and rails that all ensured a strong reliable solution for the care home environment.

After this successful period the Excel Plus Range was introduced which offers enhanced durability and an extended service life.

The **Excel Plus Range** has the same robust construction combined with a number of enhancements including the following: -

Fully galvanised steel support frame



100% waterproof 15mm PVC foam board bath panels



Stainless steel seat frame and arm



100% stainless construction



Modern contrasting colour scheme to give an improved aesthetic look



With the original robust engineering and these enhancements, the **Excel Plus Range** is built to last in even the most challenging of environments. As previously the range can be further enhanced with our full range of sensory options.

Excel 600 height-adjustable with powered swing seat

The Excel 600 is a height-adjustable bath with a powered swing seat, ideal for use in care home bathing. The seat gently lifts the bather into the bath. Once the bather is safely in the bath it rises up to a height of 1060mm to minimize carer strain whilst assisting the bather.



Key Features

- Powered lifting and swinging seat
- The bath can be raised by 340mm, to minimize carer strain whilst they are assisting the bather
- 100% waterproof 15mm PVC foam board panels, impact resistant to withstand knocks from wheelchairs and trolleys
- Fully galvanised support frame
- Bath seat and lift cylinder manufactured from stainless steel
- Safe-working load 24st / 150kg
- Removable seat insert
- Many optional extras available to enhance the bathing experience

Safety Features

- Emergency battery backup in case of mains power failure
- Optional nursing arms




Bath seat and lift cylinder manufactured from stainless steel.



The bath can be raised by 340mm to a total height of 1060mm.



Fully galvanised steel support frame.



100% waterproof 15mm PVC foam board panels.



Removable seat insert.



The **Excel 600** is available in two sizes to suit different clients and/or the environment in which it is to be used.

Bath Dimensions *Right-hand model depicted*



1700x750 end waste



1700x750 centre waste




1800x800 end waste



The handset has four simple control buttons:

- 1 takes the seat into the bath
- 2 raises the bath to a comfortable height
- 3 lowers the bath after bathing
- 4 brings the seat back out of the bath.

Any of the actions can be stopped by simply lifting your finger off the button.



The Excel 600 with detachable seat & transporter

The Excel 600 with detachable seat and transporter allows the person being bathed to be put on the seat in the bedroom and then transferred on the transporter to the bathroom. The transporter locates onto the seat lifting arm. The arm then lifts the chair and the bather into the bath. This process is reversed to return the bather to the bedroom.



Key Features

- Detachable powered lifting and swinging seat
- The bath can be raised by 340mm, to minimize carer strain whilst they are assisting the bather
- 100% waterproof 15mm PVC foam board panels, impact resistant to withstand knocks from wheelchairs and trolleys
- Fully galvanised support frame
- Bath seat and lift cylinder manufactured from stainless steel
- Safe-working load 24st / 150kg
- Removable seat insert
- Many optional extras available to enhance the bathing experience

Safety Features

- Emergency battery backup in case of mains power failure
- Optional nursing arms



Detachable seat on transporter.



Seat lifting arm.



Transporter located onto seat lifting arm.



Seat lifted from transporter into bath



Seat lowered into bath.



Bath lifted.

The **Excel 600** is available in two sizes to suit different clients and/or the environment in which it is to be used.

Bath Dimensions
Right-hand model depicted



1700x750 end waste



1700x750 centre waste




1800x800 end waste



The handset has four simple control buttons:

- 1 takes the seat into the bath
- 2 raises the bath to a comfortable height
- 3 lowers the bath after bathing
- 4 brings the seat back out of the bath.

Any of the actions can be stopped by simply lifting your finger off the button.



The Excel 400 height-adjustable bath

The **Excel 400** height adjustable bath ideal for use in combination with ceiling track or mobile hoists. Once the bather has been lifted into the bath the bath can be raised up to a height of 1060mm to minimize carer strain whilst assisting the bather.



The Excel 400 Accessories

The **Excel 400** height adjustable bath can be used in conjunction with a number of accessories. One of our experienced staff can advise on the most suitable for the bathers needs.

Key Features

- The bath can be raised by 340mm, to minimize carer strain whilst they are assisting the bather
- 100% waterproof 15mm PVC foam board panels, impact resistant to withstand knocks from wheelchairs and trolleys
- Fully galvanised support frame
- Many optional extras available to enhance the bathing experience

Safety Features

- Emergency battery backup in case of mains power failure
- Safe-working load 30st / 185 kg

Bath in fully raised position of 1060mm.



The **Excel 400** is available in three designs.

Bath Dimensions





1700x750 end waste




1700x750 centre waste



1800x800 end waste



1



2

The handset has two simple control buttons:

- 1 raises the bath to a comfortable height
- 2 lowers the bath after bathing

The bath can be stopped at any height by simply lifting your finger off the button.



The Excel 300 fixed bath with powered swing Seat

The Excel 300 is a fixed height bath with a powered swing seat and is designed for people who require assistance for getting into and out of the bath, therefore enabling them to remain independent. Fixed height baths can be fitted against the wall and are ideal for smaller bathrooms. The Excel 300 can be supplied with a full panel (as shown below) or if it is to be used in a facility where a hoist may be used, hoist access panels are also available (see opposite). The bath is supplied with the front panel as standard. Optional end panel(s) or an additional front panel are also available if required.



Key Features

- Powered lifting and swinging seat
- 100% waterproof 15mm PVC foam board panels, impact resistant to withstand knocks from wheelchairs and trolleys
- Fully galvanised support frame
- Bath seat and lift cylinder manufactured from stainless steel
- Removable seat insert
- Many optional extras available to enhance the bathing experience

Safety Features

- Emergency battery backup in case of mains power failure
- Optional nursing arms
- Safe-working load 24st / 150kg

The **Excel 300** is available in two sizes to suit different clients and/or the environment in which it is to be used.


Bath Dimensions



1700x750 end waste




1700x750 centre waste



1800x800 end waste

Handset:

Easy to use, the "Seat in" button lifts the seat up, swings it over and then lowers it into the bath. The "Seat out" does the reverse, it lifts the seat up out of the bath, swings it over the side and then lowers it on the outside of the bath. The seat can be stopped at any point by simply taking your finger off the button.



The Excel 300 with detachable seat and transporter

The Excel 300 with detachable seat and transporter allows the person being bathed to be put on the seat in the bedroom and then transferred on the transporter to the bathroom. The transporter locates onto the seat arm. The arm then lifts the chair and the bather into the bath. This process is reversed to return the bather to the bedroom.



Key Features

- Detachable powered lifting and swinging seat
- 100% waterproof 15mm PVC foam board panels, impact resistant to withstand knocks from wheelchairs and trolleys
- Fully galvanised support frame
- Bath seat and lift cylinder manufactured from stainless steel
- Removable seat insert
- Many optional extras available to enhance the bathing experience

Safety Features


- Emergency battery backup in case of mains power failure
- Optional nursing arms
- Safe-working load 24st / 150kg

The **Excel 300** is available in two sizes to suit different clients and/or the environment in which it is to be used.

Bath Dimensions

Handset:

Easy to use, the "Seat in" button lifts the seat up, swings it over and then lowers it into the bath. The "Seat out" does the reverse, it lifts the seat up out of the bath, swings it over the side and then lowers it on the outside of the bath. The seat can be stopped at any point by simply taking your finger off the button.



1700x750 end waste



1700x750 centre waste



1800x800 end waste

The Excel 100 fixed bath

The Excel 100 Fixed bath is designed to be used with either a ceiling track hoist or mobile hoist. If a mobile hoist is being used the bath can be supplied with a hoist access panel (as illustrated), or a full panel when a ceiling track hoist is used.



Key Features

- Hoist access panel for ease of access when hoist is being used
- 100% waterproof 15 mm PVC foam board panels, impact resistant to withstand knocks from wheelchairs and trolleys
- Fully galvanised steel support frame
- Many optional extras available to enhance bathing experience

Available in three designs the **Excel 100** is supplied with the front panel as standard and with the option of end panels and an additional side panel.

Bath Dimensions




1700x750 end waste





1700x750 centre waste



1800x800 end waste



1900x900 end waste



Accessories

Brassware. We offer a range of brassware depending on the particular requirements of the client.



Lever taps are a popular choice and in conjunction with an underbath TMV3 valve, offer a WRAS approved solution.




Bath filler, again in conjunction with an underbath valve, gives you the ability to control the water temperature through one outlet.



TMV3 shower system (CAT5 safe) is part of our WRAS approved system and is the necessary choice in multer-user situations.



TMV2 bath shower mixer is popular in a domestic situation, where the bath is used primarily by one person.



Bath/shower mixer with top-fixing shower, together with an underbath valve is a good value option if showering is required and is the preferred option when including a changing top with the bath.



Underbath valve.
Both WRAS approved and TMV3 rated, the valve ensures a safe maximum temperature appropriate for those using the bath.

Sensory Options. In order to make the bathing experience more enjoyable and relaxing, we offer three sensory systems: 12 jet three speed air spa, bluetooth audio and colour-changing lights.






The **Air Spa system** has 12 jets in the base of the bath and has three settings. Pressing the button once gives a gentle massage effect, pressing it again gives a stronger massage and pressing it a third time gives a vigorous massage. A fourth press switches the system off.

Bluetooth Sound System Fitted



The bluetooth audio system allows you to connect wirelessly to a system so that you can listen to music or audio books; whatever is your preference.

The **colour-changing lights** can be set on any one of 11 specific colours, by pressing the operating button to the desired colour. Alternatively, after the 11th colour, a series of five automatic colour sequences is available by again pressing the operating button, flooding your bath with soothing light.



Easy Access Baths - Lenis

1700mm long x 750mm wide x 550mm high



The Lenis is a modern easy access bath with a simple push button door opening system. The neat square hinges allow the door to open wide giving the bather good access into the bath. The white gloss, vinyl-wrapped, MDF panels are both hard-wearing and give the bath an overall quality finish. Left-hand model shown with optional shower screen.



Left Hand model shown
Right Hand model also available

Easy Access Baths - Lenis with shower accessories

1700mm long x 750mm wide x 550mm high



The Lenis is a modern easy access bath with a simple push button door opening system. The neat square hinges allow the door to open wide giving the bather good access into the bath. The white gloss, vinyl-wrapped, MDF panels are both hard-wearing and give the bath an overall quality finish. Left-hand model shown with optional shower screen.

Easy Access Baths - Phocas

1210mm Long x 650mm Wide x 945mm High



The Phocas has a contemporary glass inward-opening door into the bath and a moulded seat for the bather to relax on. Twin wastes drain the bath quickly and the bath can be supplied with the door on the left or right-hand side depending on the layout of your bathroom. (left-hand bath pictured). Supplied with a front panel and one end panel as standard, an additional end panel is available if the bath is to be installed away from the side walls.

Easy Access Baths - Valens



Key Features

- Fully formed acrylic bath tub with a separate operating glass door and bath screen
- Optional lever-operated pop-up waste or overflow filler available
- Battery back up in case of power failure supported by an audible alarm
- Water sensor ensures the door remains inactive until water has passed below a certain level
- Soft gel headrest (optional)



Bath screen is easily folded into or out of the bath.



Door and screen are made from tempered safety glass.



Door is operated electronically by a touch button and an indicator light shows when the bath is fully sealed.



Low threshold height allowing easy access.



Simply close the door for a secured bathing experience.



If showering is your choice the shower screen sits over the bath door with the assistance of magnets.




Bath screen opens into and away from the bath.



Door folds into bath allowing wide access.



Electric door operating button.



Max step in height 205 mm.

Left hand model shown.
Right hand model also available.

Easy Access Baths - Talis

1700 x 800 mm



Talis Features

- Electromagnets hold the shower door tightly locked, with a battery back-up in case of power failure and an audible alarm to warn you
- Battery back up in case of power failure supported by an audible alarm
- A water sensor near the base of the bath ensures the door will not open until the bath has drained
- Lever-operated pop-up waste or overflow filler (optional)



Optional bath screen available.



Choice of panel finishes for the modern bathroom.



Bath available LH or RH. (RH model shown).



Easy to operate pop up waste or overflow filler available (both optional extra).



Ultra low level can be achieved for easier access (approximately 80mm).



Door swings into bath for maximum access.

It's Your Choice

Black High Gloss MDF Panel




White High Gloss MDF Panel



White Styrene Panel



Right hand model shown.
Left hand model also available.



Max Step-In height 205 mm



Contact Us
Pennywell Industrial Estate, Sunderland,
Tyne & Wear SR4 9EN.
T: 0191 534 6061 F: 0191 534 3626
www.renaissance-assistedbaths.co.uk
04/25

We endeavour to provide accurate information but
product development may alter certain specifications